UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,956,572 B2

Page 1 of 10

APPLICATION NO.: 10/616219

DATED INVENTOR(S) : Ocotber 18, 2005 : John R. Zaleski

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page should be deleted and substitute therefor the attached title page. Please replace informal drawings with the attached formal drawings.

Signed and Sealed this

Thirtieth Day of October, 2007

JON W. DUDAS Director of the United States Patent and Trademark Office

(12) United States Patent Zaleski

(10) Patent No.:

US 6,956,572 B2

(45) Date of Patent:

Oct. 18, 2005

(54) PATIENT MEDICAL PARAMETER USER INTERFACE SYSTEM

- (75) Inventor: John R. Zaleski, West Brandywine, PA (US)
- (73) Assignes: Siemens Medical Solutions Health

Services Corporation, Malvern, PA

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 66 days.

(21) Appl. No.: 10/616,219

(22) Filed: Jul. 8, 2003

(65)Prior Publication Date

US 2004/0158132 A1 Aug. 12, 2004

Related U.S. Application Data (60) Provisional application No. 60/446,313, filed on Peb. 10,

| | ionia. | | | | |
|------|----------|----------|-------|------|------|
| (51) | Int. Cl. | GOOG | 5/22: | ASTR | SIND |

(52) U.S. Cl. ------- 345/440.2; 600/300

345/440.2, 700, 762, 764, 883; 600/300,

(56)

References Cited

U.S. PATENT DOCUMENTS

| 5,482,050 A | 1/1996 | Smokoff et al 128/710 |
|---------------|--------|--------------------------|
| 5,915,379 A * | 6/1999 | Wallace et al 128/204.21 |
| 6,095,984 A | 8/2000 | Amano et al. |
| 6,174,283 B1 | | Novo et al |
| 6,188,407 B1 | 2/2001 | Smith et al 345/353 |
| 6,269,812 B1 | 8/2001 | Wallace et al 128/205.23 |

| 6,287,452 | B1 | 9/2001 | Allen et al. |
|--------------|------|---------|-------------------------|
| 6,369,838 | Bı | | Wallace et al 345/810 |
| 6,429,869 | | 8/2002 | Kamakum et al 345/440.2 |
| 2002/0015034 | | 2/2002 | Malmborg et al 345/204 |
| 2002/0077863 | | 6/2002 | Rutledge et al 705/3 |
| 2002/0082867 | | 6/2002 | MacCarter et al 705/2 |
| 2002/0183976 | | 12/2002 | Peace 702/188 |
| 2003/0037785 | | 2/2003 | Blondi et al 128/204.21 |
| 2003/0092974 | | 5/2003 | |
| 2003/0095147 | | 5/2003 | Daw 345/771 |
| 2004/0116804 | AL 4 | 6/2004 | Mostafavi 600/428 |

FOREIGN PATENT DOCUMENTS

DE

198 44 918 A1

* cited by examiner


Primary Examiner-Matthew Lun

(74) Attorney, Agent, or Firm-Alexander J. Burke, Esq.

ABSTRACT

A user interface enables a critical care clinician (such as a respiratory therapist, nurse, resident, or attending physician) to quickly ascertain a patient condition as part of a patient care management procedure. A system according to invention principles comprises a user interface display providing a quick and convenient way to display key vital parameters and their acceptable ranges within the immediate eye-span of a clinician. A system provides a user interface presenting patient medical parameter data, and includes an acquisition processor for acquiring, from a patient monitoring device, data representing a patient parameter. The system includes a processor for initiating generation of data representing at least one display image including, (a) a current value of a patient parameter and (b) a sliding bar representation of the patient parameter current value together with a range indicator for graphically indicating whether the current value is outside of a user determined range.


21 Claims, 8 Drawing Sheets



U.S. Patent


Oct. 18, 2005

Sheet 1 of 8



Oct. 18, 2005

Sheet 2 of 8



Oct. 18, 2005

Sheet 3 of 8





FIG. 3

| 407 | SELECTED PARAMETERS PULSE CARDIAC OUTPUT 02 SATURATION TEMPERATURE RR TVe CARDIAC INDEX CARDIAC INDEX CARDIAC INDEX HEIGHT (cm) 145 411 | | | | | | | | | |
|-----|---|-------------|----------------|------------------|-------------------|-----------|--------------|-------------|--|--------|
| 405 | LABORATORY | HEMOGLOBIN | Х | ca Ca | Z0es 🗖 | D P02 | D PC02 | Hd 🗖 | | FIG. 4 |
| 403 | RESPIRATORY | Z RESP RATE | Z TIDAL VOLUME | ☐ MINUTE VOLUME | d3d 🖸 | Z] RSBI | CO INV LEVEL | DYN. COMPL. | | |
| 400 | VASCULAR | Z PULSE | CARDIAC INDEX | ☑ CARDIAC OUTPUT | (2) 02 SATURATION | CORE TEMP | D PAP | CVP | | |



Oct. 18, 2005

Sheet 6 of 8




FIG. 6

Oct. 18, 2005

Sheet 7 of 8




FIG. 7

Oct. 18, 2005

Sheet 8 of 8




FIG. 8